

Item: SM161054-204

Apothecary jar Libra 50ml, glass stopper, Miron (we advise to rinse out the bottle before use)

Old code: FL-AP-50

Certificate of conformity

The above mentioned glass container has been manufactured in conformity with:

- 94/64/EC
- EC 1935/2004*
- EC 2023/2006*

The above mentioned product is in compliance with requirements of the standards and regulations: Regulations of Ministry of Health of the Czech Republic No. 38/2001 Coll. as amended, DIN 51 032:1986, ISO 7086-2:2000, BS 6748:1986, GOST 30407-96 (lead and cadmium content in leachate from silicate surfaces).

Settlement number CGC-91-938430 – tested according to ASTM C738-94:2011 (lead content in leachate from silicate surfaces).

Ministry of Health decree No. 38/2001 Coll. as amended, GOST 30407-96, CSN 70 3100:1987 – tested according to CSN ISO 719:1992 (hydrolytic resistance of glass grants at 98°C)

GN 2.3.3.972-00 (boron, arsenic, aluminum, manganese, copper, chromium and cobalt content in leachate from silicate surfaces).

Regulation of the Parliament of the Czech Republic No. 477/2001 Coll. As amended (Pb, Cd, Hg and Cr⁶⁺ content).

Certificate has been issued based on different test reports.

The glass actually sold corresponds to a conventional soda-lime glass and is tested according to DIN ISO 719:1985.

Glass containers are also manufactured in conformity with standards referred to certificate No. CQCQ-32/2019, issued by IKATES s.r.o. Teplice, certificate authority No. 3065.

Glass containers are made without BPA, PBB, PBDE, PCB and PFAS.

Glass containers are made without GMO.

Production quality management system is certified according to ISO 9001:2015 by Intertek.

*Apothecary jars are intended for storage of chemical substances and mixtures. Our manufacturer recommend rinsing the jars with distilled water before use. In the case of grinded jars, there may occur glass dust on the sides and bottom of the jar from grinding process. Such jars must be rinsed before use. Our manufacturer recommend rinsing with a 2% acid solution followed by distilled water. If containers are intended for food and beverage storage, the beverage/food manufacturer must rinse the jars properly with drinking water or water with low % alcohol before filling. Grinded jars and stoppers are recommended to be rinsed first with 2% acid solution followed by drinking water or water with low % alcohol.

Absolute tightness cannot be guaranteed for grinded jars with grinded stoppers. Therefore our manufacturer does not recommend to transport liquids. Any use of waxes and sealing material to ensure better tightness is solely the responsibility of the user of the sealing material.

REACH Declaration

The producer hereby declares that the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) regulation, as enacted by the European Union (EU), is not applicable to the above mentioned product.

The REACH regulation primarily focuses on the registration, evaluation, authorization and restriction of chemicals and chemical substances. Glass, which is the primary material used in the manufacturing process of the above mentioned product, is not a chemical substance governed by REACH. Glass is a chemically inert and stable material and does not release substances that require registration or evaluation under REACH.

The above mentioned product does not contain any chemical substances intentionally added for chemical or functional purposes that fall under the scope of REACH. Furthermore, the manufacturing processes adhere to industry standards, and the producer does not use or introduce any substances or chemicals into their glass containers that are restricted or prohibited by REACH.



The producer is committed to complying with all relevant regulations and standards to ensure the safety, quality and environmental responsibility of their products. They also regularly monitor regulatory developments and updates to ensure ongoing compliance.

Storage and transport

Safety aspects do not require any special precautions in terms of storage.

There are no special requirements to temperature or humidity. However, high fluctuations in temperature have to be avoided, so that no condensation should be caused.

- Screen off from direct thermal radiation (distance at least 1m) and protect from direct solar radiation
- Storage in closed areas, protect against direct wetness and frost proof store
- Protect from mechanical effects, packaging should not be damaged

Technical drawing (SM161054-204)

This document is created electronically and is valid without a signature.

Neck Finish: 24x20
 Filling capacity: 50ml
 Brimfull: 55 ± 4 ml
 Weight: approx. 100g